

# HT Fluid TO-4

SAE Viscosity Grade		10W	30	50
Gravity API	ASTM D1298-A	29.9	28.3	26.7
Flash Point,COC,°F(°C)	ASTM D-92	390(199)	425(219)	465(242)
Pour Point, °F(°C)	ASTM D-97	-25(-32)	0(-18)	+10(-12)
Viscosity, cSt @ 40°C	ASTM D-445	38.1	106.0	232.2
Viscosity, cSt @ 100°C	ASTM D-445	6.1	12	19.5
Viscoity,SUS @ 100°F	ASTM D-2161	178.3	491	1075
Viscoity,SUS @ 210°F	ASTM D-2161	46.2	66.1	94.4
Viscosity Index	ASTM D-2270	107	102	97
ASTM Color	ASTM D-1500	3.5	6.5	7.5
CCS @-20°C, CP max.		3300	N/A	N/A